

**NEW!**

# Moffett M1



Delivering **Confidence**

# Moffett M1



For more than 40 years, Moffett has been manufacturing Truck-mounted Forklifts, a load handling solution that has helped transform the way materials are distributed across the globe. We have a reputation for creating solutions to logistics challenges across a diverse range of industries, ensuring that deliveries arrive on time, in perfect condition and at the most economic price.

Our innovative designs mean that a Moffett can be carried on the rear of a truck or trailer with no loss of load space. There is no more waiting for local off-loading equipment and means safer, faster and more cost effective deliveries.

## >The New M1 – even stronger!

The MOFFETT, Type M1, is now days even stronger. A new 25,6 Hp Kubota engine with inline pump took over from the 18 Hp engines from the existing model.

It provides the solution to transferring light loads, like city distribution. With the ability to work on paved surfaces and firm, off-road conditions, the M1 range has become an important asset in applications such as:

- Beverage Industry
- Isolation materials
- Urban Distribution

Along with your new M1 Moffett Truck-mounted Forklift, you already receive numerous items of equipment as standard... giving you maximum value for your investment.

- Flashing beacon and work lights for driver safety and confidence
- Reverse beeper and safety belt for additional safety
- Differential Lock (except 12.1 and 15.1) to get better grip when driving on rough terrain
- Machine Management System. A safe and reliable electronic system
- RKM – advanced hydraulic filtration system will keep the hydraulic oil much cleaner.
- Easy-drive regulator to prevent stalling

## >But that’s not all...

With Moffett, an impressive range of optional extras is available. Whatever the application, we will match it with a customised solution. The M1 standard features can be enhanced with:

- Different Engine size. Choose between 1200 kg and 1500 kg capacity!
- Different tyre options
- Choice of forks
- Choice of lift heights
- Telescopic legs

Our extensive service network, in more than 40 countries, offers you high levels of expertise, obtained through their long term link with Moffett and parent company Hiab. Our highly skilled service network team is used to solving just about any challenge. They understand your business and offer you the right advice regarding your load handling needs, be they resolved with a Truck-mounted Forklift or any other product in the Hiab range. Our centralised spares and parts service ensures delivery within 24 hours across Europe and only a few days longer for the rest of the world.

Our commitment to excellence goes beyond technical innovation. With our high quality production process and unparalleled sales and after-sales service, fast spare part deliveries, expert machine servicing and our global Moffett and Hiab dealer network, we all work together as a team to deliver confidence through our total customer care package.



00:00



00:15



00:30



00:50



In less than 1 minute, you are in complete control of the collection and delivery process. That's all the time it takes to mount and dismount your Moffett Truck-mounted Forklift

➤ **M1 Stronger than ever!**

- New engine (25 Hp)
- Compact
- Manoeuvrable
- High Gradeability
- Low Unladen weight
- 1500 kg lift capacity
- Wide range of features and options
- Easy to use
- Cost effective



**12.1**

1 LIFT CAPACITY	1200 KG @ 600 MM LOAD CENTRE
2 ENGINE	KUBOTA DIESEL 13.4 KW (18 HP)
3 LIFT HEIGHT	1800 MM
4 STANDARD TYRES	4.00X4 SUPERSOFT/23X8.5-12
5 DRIVE WHEELS	1 WHEEL
6 UNLADEN WEIGHT*	1360 KG
7 OVERHANG*	1050 MM
8 GROUND CLEARANCE	190 MM

**15.1**

1 LIFT CAPACITY	1500 KG @ 600 MM LOAD CENTRE
2 ENGINE	KUBOTA DIESEL 18 KW (25 HP)
3 LIFT HEIGHT	3000 MM
4 STANDARD TYRES	4.00X4 SUPERSOFT/23X8.5-12
5 DRIVE WHEELS	1 WHEEL
6 UNLADEN WEIGHT*	1630 KG
7 OVERHANG*	1250 MM
8 GROUND CLEARANCE	190 MM

**15.3**

1 LIFT CAPACITY	1500 KG @ 600 MM LOAD CENTRE
2 ENGINE	KUBOTA DIESEL 18 KW (25 HP)
3 LIFT HEIGHT	3000 MM
4 STANDARD TYRES	18X7-8 SUPERSOFT/23X8.5-12
5 DRIVE WHEELS	3 WHEEL
6 UNLADEN WEIGHT*	1705 KG
7 OVERHANG*	1250 MM
8 GROUND CLEARANCE	190 MM

The above specifications can be changed by the manufacturer without prior notice. \*These values will vary depending on machine specification and type of mounting kit

# Moffett M1

**Moffett Engineering Limited**

Ardee Road  
Dundalk  
County Louth  
Ireland

**Moffett bv**

Leijester Hegedyk 25  
NL-9071 XB Oude Leije  
Postbus 1  
NL-9076 ZN St. Annaparochie  
Netherlands

Tel: +353 (0)42 935 9500  
Fax: +353 (0)42 935 9590  
Email: [moffett.forklift@hiab.com](mailto:moffett.forklift@hiab.com)  
Website: [www.hiab.com](http://www.hiab.com)

